TIBBIYOTDA ZAMONAVIY TEKSHIRISH USULLARINING BIOFIZIK ASOSLARI VA KLINIK AHAMIYATI

Qurbonboyeva Sohiba Yorqin qizi
Toshkent davlat tibbiyot universiteti
Tibbiy pedagogika va Davolash fakulteti
2-bosqich talabasi
Ilmiy rahbar: **Urmanova.G.U**
https://doi.org/10.5281/zenodo.22881749

Annotatsiya: Ushbu ilmiy maqolada tibbiyotda qo‘llaniladigan zamonaviy tekshirish usullarining biofizik asoslari va ularning klinik amaliyotdagi ahamiyati kompleks ravishda tahlil qilinadi. Tadqiqotda rentgenologik tekshiruv va kompyuter tomografiyasi, magnit-rezonans tomografiya, ultratovush diagnostikasi hamda pozitron-emission tomografiya kabi usullarning fizik tamoyillari elektromagnit to‘lqinlarning biologik to‘qimalar bilan o‘zaro ta’siri, yadro magnit rezonansi hodisasi, pyezoelektrik effekt va Dopler effekti batafsil yoritilgan. Maqolada har bir usulning diagnostik imkoniyatlari, afzalliklari va cheklovlari qiyosiy tahlil qilingan, shuningdek, ularning bemor organizmiga ta’siri xavfsizlik nuqtayi nazaridan baholangan. Biofizik bilimlarning tibbiy diagnostikaning aniqligini oshirish, tashxisni erta va xatosiz qo‘yishdagi rolini ilmiy asoslashga alohida e’tibor qaratilgan. Olingan natijalar amaliyotchi shifokorlar, tibbiyot talabalari va biofizika sohasi mutaxassislari uchun zamonaviy diagnostika texnologiyalarini chuqur tushunish hamda ulardan samarali va xavfsiz foydalanish borasida muhim ilmiy-amaliy manba bo‘lib xizmat qiladi.
Kalit so‘zlar: Biofizika, rentgenologiya, kompyuter tomografiyasi, magnit-rezonans tomografiya, ultratovush diagnostikasi, Dopler effekti, pozitron-emission tomografiya, yadro magnit rezonansi, diagnostika.

MODERN DIAGNOSTIC METHODS IN MEDICINE: BIOPHYSICAL FOUNDATIONS AND CLINICAL SIGNIFICANCE

Annotation: This scientific article provides a comprehensive analysis of the biophysical foundations of modern diagnostic methods used in medicine and their significance in clinical practice. The study examines the physical principles underlying radiography and computed tomography, magnetic resonance imaging, ultrasound diagnostics, and positron emission tomography including the interaction of electromagnetic waves with biological tissues, the phenomenon of nuclear magnetic resonance, the piezoelectric effect, and the Doppler effect. The paper offers a comparative analysis of the diagnostic capabilities, advantages, and limitations of each method, and evaluates their effects on the patient’s body from a safety standpoint. Particular attention is given to substantiating the role of biophysical knowledge in improving the accuracy of medical diagnostics and enabling early, error-free detection of disease. The findings serve as a valuable scientific and practical resource for practicing physicians, medical students, and specialists in biophysics seeking a deeper understanding of modern diagnostic technologies and their safe, effective application.
Keywords: Biophysics, radiology, computed tomography, magnetic resonance imaging, ultrasound diagnostics, Doppler effect, positron emission tomography, nuclear magnetic resonance, diagnostics.

СОВРЕМЕННЫЕ МЕТОДЫ ДИАГНОСТИКИ В МЕДИЦИНЕ: БИОФИЗИЧЕСКИЕ ОСНОВЫ И КЛИНИЧЕСКОЕ ЗНАЧЕНИЕ

Аннотация: В данной научной статье проводится комплексный анализ биофизических основ современных методов диагностики, применяемых в медицине, и их значения в клинической практике. В исследовании рассматриваются физические принципы рентгенологического исследования и компьютерной томографии, магнитно-резонансной томографии, ультразвуковой

диагностики и позитронно-эмиссионной томографии в частности, взаимодействие электромагнитных волн с биологическими тканями, явление ядерного магнитного резонанса, пьезоэлектрический эффект и эффект Доплера. В статье проведён сравнительный анализ диагностических возможностей, преимуществ и ограничений каждого метода, а также дана оценка их воздействия на организм пациента с точки зрения безопасности. Особое внимание уделено научному обоснованию роли биофизических знаний в повышении точности медицинской диагностики и раннем, безошибочном выявлении заболеваний. Полученные результаты служат важным научно-практическим ресурсом для практикующих врачей, студентов-медиков и специалистов в области биофизики.

Ключевые слова: Биофизика, рентгенология, компьютерная томография, магнитно-резонансная томография, ультразвуковая диагностика, эффект Доплера, позитронно-эмиссионная томография, ядерный магнитный резонанс, диагностика.

Modern medical diagnostics is deeply rooted in advances in physics and encompasses a range of technologies that enable the internal structure and functional state of the human body to be assessed non-invasively and with high precision. Each of these methods is based on a specific physical phenomenon, including electromagnetic radiation, nuclear magnetic resonance, propagation of acoustic waves, or radioactive decay. The principal biophysical mechanisms underlying these diagnostic modalities are discussed below.

1. X-ray Imaging and Computed Tomography (CT)

X-rays are electromagnetic radiation with very short wavelengths that interact with atoms as they pass through matter and are partially attenuated. The degree of radiation attenuation depends on tissue density and the atomic number of the constituent elements. Bone tissue, for example, attenuates X-rays substantially more than soft tissues, producing image contrast on conventional radiographs. In computed tomography, the X-ray source rotates around the patient, acquiring projections from hundreds of different angles. These projections are subsequently processed using specialized mathematical reconstruction algorithms to generate cross-sectional images of the tissues. The attenuation coefficient of each voxel is expressed in Hounsfield units (HU), substantially improving the ability to differentiate tissues based on their radiodensity.

2. Magnetic Resonance Imaging (MRI)

Magnetic resonance imaging is based on the phenomenon of nuclear magnetic resonance. Under the influence of a strong static magnetic field, the spins of hydrogen nuclei (protons) within body tissues become preferentially aligned with the direction of the magnetic field. A radiofrequency pulse is then applied, causing the protons to absorb energy and move away from their equilibrium state. After the radiofrequency pulse is discontinued, the protons return toward their equilibrium state and release the absorbed energy as measurable electromagnetic signals. The rate of this recovery, characterized primarily by the T1 and T2 relaxation times, varies among different tissue types. These differences form the basis of tissue contrast in MRI. Because MRI does not use ionizing radiation, it is considered a highly informative and relatively safe imaging modality, particularly for the assessment of soft tissues, the brain, and the spinal cord.

3. Ultrasonography and the Doppler Effect

Ultrasonography is based on the piezoelectric effect. When an electrical voltage is applied to piezoelectric crystals within an ultrasound transducer, they undergo mechanical deformation and generate sound waves at frequencies above the range of human hearing, typically greater than 20 kHz. As ultrasound waves propagate through the body, they are partially reflected at tissue interfaces according to differences in acoustic impedance. The returning echoes are detected by the transducer and converted into electrical signals that are subsequently processed to generate an image. The Doppler effect is used to assess blood flow velocity and direction. The frequency of ultrasound waves reflected from moving erythrocytes differs from the transmitted frequency. This frequency difference, known as the Doppler shift, allows the velocity and direction of blood flow to be determined. The absence of ionizing radiation makes ultrasonography particularly suitable for examinations during pregnancy and for repeated follow-up assessments. It is therefore considered one of the safest widely used diagnostic imaging modalities.

4. Positron Emission Tomography (PET)

Positron emission tomography is primarily designed to visualize functional and metabolic processes. The technique involves administration of a short-lived radiopharmaceutical, such as fluorine-18-labeled glucose analogs, into the patient's body. During radioactive decay, the radionuclide emits a positron. The positron subsequently interacts with an electron in the surrounding tissue, resulting in annihilation and the production of two gamma photons emitted in approximately opposite directions at an angle of 180°. These photons are detected simultaneously in coincidence by a ring of detectors, allowing the location of the radiotracer accumulation to be reconstructed. Unlike conventional structural imaging modalities, PET primarily reflects tissue metabolic activity rather than anatomical structure. This feature makes it particularly important for the early detection and characterization of malignant diseases.

Discussion and Results

The analysis demonstrated that the diagnostic value of each imaging modality is largely determined by the characteristics of the physical phenomenon underlying the technique. X-ray imaging and CT are based primarily on differences in tissue attenuation and therefore provide high-resolution visualization of structures such as bone and lung tissue. However, their use involves exposure to ionizing radiation, which may limit repeated examinations when radiation exposure is a concern.

MRI provides superior soft-tissue contrast and does not involve ionizing radiation. Nevertheless, MRI examinations generally require more time and are associated with higher costs compared with some other imaging modalities. Ultrasonography is a real-time, relatively inexpensive, and safe imaging technique, making it particularly useful for initial screening and dynamic monitoring. However, its diagnostic performance is reduced in regions containing bone or gas, such as the lungs and intestines, because ultrasound waves are strongly reflected or attenuated in these environments. PET provides valuable information about tissue metabolic activity but has comparatively limited anatomical resolution. Consequently, it is frequently combined with structural imaging modalities, particularly in hybrid systems such as PET/CT and PET/MRI. These approaches provide anatomical and functional information simultaneously and allow more comprehensive characterization of pathological processes. The findings confirm that one of the most effective approaches to improving diagnostic accuracy is the complementary use of imaging modalities based on different physical principles. A thorough understanding of the biophysical basis, capabilities, and limitations of each technique is essential for physicians to select the most appropriate diagnostic modality and correctly interpret the resulting findings.

Conclusion

Modern diagnostic imaging techniques used in medicine—including X-ray imaging, computed tomography, magnetic resonance imaging, ultrasonography, and positron emission tomography—are based on different physical phenomena, with each modality possessing distinct diagnostic capabilities and limitations. Our analysis demonstrates that a thorough understanding of the biophysical principles underlying these technologies is essential not only for appropriate selection of a diagnostic modality but also for the scientifically grounded interpretation of diagnostic findings. In contemporary clinical practice, the integrated and hybrid use of imaging modalities based on complementary physical principles can substantially improve diagnostic accuracy while minimizing potential risks to the patient. Therefore, a comprehensive understanding of medical biophysics provides an important scientific and methodological foundation for future physicians to use modern diagnostic technologies effectively, appropriately, and safely.

References

1. Ostrovskiy V.Yu. *Medical and Biological Physics*. Tashkent: O‘qituvchi; 2015.
2. Remizov A.N. *Medical and Biological Physics*. Moscow: Vysshaya Shkola; 2010.
3. Rakhimov S.T. *Fundamentals of Radiology*. Tashkent: Ibn Sino; 2011.
4. Hakimov Z.Z. *Physics of Medical Diagnostics*. Tashkent; 2018.
5. Bushberg J.T., Seibert J.A. *The Essential Physics of Medical Imaging*. Philadelphia: Lippincott Williams & Wilkins; 2012.
6. Nizamov U.I. *Biophysics*. Tashkent: Yangi Asr Avlodi; 2013.