IQRO JURNALI , IQRO JOURNAL, ИКРО ЖУРНАЛИ
ISSN:2181-4341| wordlyknowledge.uz/index.php/iqro
Volume 24. Issue 01. Oktabr, 2026

METHODOLOGY OF TEACHING MEDICAL CHEMISTRY IN HIGHER MEDICAL EDUCATION

Shadiyeva Shoira Shuhratovna
European Medical University
(EMU), Senior Lecturer (PhD)
https://doi.org/10.5281/zenodo.23230537

Abstract Medical chemistry is a foundational discipline in medical education because it explains the chemical processes that occur in living systems and provides a scientific basis for understanding physiology, pathology, pharmacology and clinical diagnostics. Effective teaching of medical chemistry requires more than the transmission of theoretical information: students need to connect chemical concepts with biological functions, disease mechanisms, laboratory investigations and safe clinical practice. This article discusses methodological approaches to teaching medical chemistry in higher medical education. It examines the integration of theory and practice, problem-based learning, case-based learning, laboratory activities, digital resources, formative assessment and interdisciplinary teaching. Examples involving buffer systems, pH, electrolytes, osmotic pressure, biogenic elements, complex compounds and oxidation–reduction processes illustrate how chemical principles can be linked to medicine. The article also outlines methods for evaluating student learning and offers practical recommendations for designing student-centred lessons. A systematic, clinically oriented and interactive approach can strengthen conceptual understanding, analytical thinking, laboratory competence and students' readiness for further medical study.

Keywords: medical chemistry, teaching methodology, medical education, active learning, problem-based learning, laboratory practice, clinical relevance, assessment, interdisciplinary integration.

1. Introduction Medical chemistry occupies an important place in the curriculum of medical universities. It introduces students to the chemical composition of the human body, the properties of aqueous solutions, acid–base balance, buffer systems, electrolytes, biogenic elements, complex compounds, biomolecules and chemical reactions relevant to living organisms. These topics are not isolated facts; they support later learning in biochemistry, physiology, pathology, pharmacology and clinical laboratory diagnostics. Students entering medical education may have different levels of prior knowledge in chemistry. Some can solve quantitative problems confidently but struggle to apply concepts to biological systems, while others may remember definitions without understanding the underlying mechanisms. Teaching methodology should therefore help learners move from memorisation to explanation, application and interpretation. A modern approach to medical chemistry combines accurate scientific content with active participation, practical experimentation and clinical context. The teacher acts not only as a source of information but also as a facilitator who guides students in asking questions, interpreting evidence, checking calculations and relating chemical principles to medical problems.

2. Goals and Learning Outcomes of Medical Chemistry

The central goal of teaching medical chemistry is to develop students' ability to use chemical knowledge to explain biological and medical phenomena. Learning outcomes should be specific, observable and aligned with the curriculum. By the end of a learning unit, students should be able to define key concepts, explain mechanisms, perform relevant calculations, interpret experimental results and apply principles to simplified clinical situations. For example, after studying acid–base equilibria, students should be able to explain the relationship between hydrogen ion concentration and pH, describe how buffer systems resist changes in pH, calculate pH in simple cases and explain why the bicarbonate buffer system is important in maintaining blood pH. After studying electrolytes, students should relate sodium, potassium, calcium and chloride ions to fluid balance, nerve impulses, muscle contraction and other physiological processes. Clearly stated outcomes help teachers select suitable activities and assessment methods. If the intended outcome is practical competence, a lecture alone is insufficient; students should also perform an experiment, interpret data or demonstrate a procedure. If the outcome is analytical thinking, students should be asked to compare explanations, evaluate evidence and justify their conclusions.

3. Principles of Effective Teaching

Several principles are especially relevant to medical chemistry. First, scientific accuracy must be maintained while explanations are adapted to students' level of preparation. Second, abstract concepts should be linked to familiar examples before moving to more complex mechanisms. Third, learning should progress from basic knowledge to application and analysis. Fourth, students should receive timely feedback that identifies both errors and ways to improve. The principle of integration connects chemistry with anatomy, physiology, biochemistry, pharmacology and clinical practice. The principle of activity requires students to do more than listen: they should predict outcomes, solve problems, discuss results and reflect on their reasoning. The principle of individualisation recognises differences in preparation and learning pace, offering additional support or more challenging tasks when appropriate. Safety and ethical responsibility are also essential. Laboratory activities must follow institutional safety procedures, appropriate waste disposal and the correct use of personal protective equipment. Demonstrations should be chosen according to educational value and risk, and hazardous substances should be substituted with safer alternatives whenever possible.

Interactive lecture

An interactive lecture combines concise explanation with questions, short calculations, concept checks and discussion. Instead of presenting a long sequence of facts, the teacher can pause after explaining a concept and ask students to predict what will happen when a variable changes. For example, students can predict how dilution affects hydrogen ion concentration or how adding a small amount of acid affects a buffer solution.

Problem-based learning

Problem-based learning begins with a question that requires students to use several concepts. A lesson on buffer systems may begin with the question: why does blood pH remain within a

narrow range despite continuous metabolic activity? Students identify relevant concepts, discuss the bicarbonate buffer system and determine which additional physiological systems contribute to acid–base regulation. The teacher guides the process and corrects misconceptions without removing students' responsibility for reasoning.

Case-based learning

Case-based learning uses a short, realistic scenario to make chemical knowledge meaningful. For example, a simplified case may describe a patient with dehydration and altered electrolyte concentrations. Students identify the roles of sodium and potassium, interpret provided laboratory values and explain why electrolyte balance matters. Such cases should be used for educational purposes and should not encourage students to make independent clinical diagnoses beyond their training.

Integration of Theory with Laboratory Practice

Laboratory work is central to medical chemistry because it allows students to observe chemical phenomena, practise measurement and develop skills in interpreting data. Suitable activities may include measuring pH, preparing solutions of known concentration, investigating buffer capacity, observing indicators, studying adsorption, identifying selected ions and examining the influence of concentration on a reaction. A well-designed laboratory session has several stages: a clear learning objective, a short explanation of the chemical principle, safety instructions, a procedure, data recording, analysis and a conclusion. Students should be asked not only to follow instructions but also to explain why each step is necessary and what the results mean. For example, in a buffer-capacity experiment, students can measure the pH of a buffer before and after adding small quantities of acid or base, then compare the change with that observed in water. They should record measurements in a table, construct a simple graph if appropriate and explain the results in terms of the equilibrium between the components of the buffer system. Laboratory assessment should consider accuracy, safe technique, correct use of equipment, data quality, interpretation and scientific reporting. A student who obtains an unexpected result should be encouraged to identify possible sources of error rather than simply repeat the experiment without reflection.

Clinical and Interdisciplinary Integration

Clinical relevance helps students understand why chemical concepts matter. The pH scale can be connected with acid–base balance; osmotic pressure with fluid movement across membranes; electrolytes with nerve and muscle function; complex formation with metal-containing biological molecules and laboratory reagents; and oxidation–reduction reactions with cellular energy processes.Interdisciplinary teaching is most effective when the connections are explicit and scientifically justified. For instance, a lesson on iron can link its chemical properties and coordination chemistry with haemoglobin and oxygen transport. A lesson on calcium can connect ionic equilibria with bone mineralisation and muscle contraction. A lesson on solutions can explain why concentration, dilution and osmolarity are important in the preparation and use of medical solutions. Teachers should distinguish simplified teaching models from the complexity of clinical reality. A classroom example can illustrate one mechanism, but clinical

interpretation usually requires multiple laboratory findings, patient context and professional judgement. This distinction helps students develop careful scientific reasoning.

Digital Tools and Visual Learning

Digital resources can support visualisation of concepts that are difficult to observe directly. Simulations may demonstrate molecular interactions, acid–base equilibria, ion movement and concentration changes. Short instructional videos can prepare students for laboratory procedures, while online quizzes can provide immediate feedback on definitions and calculations. Digital tools should be selected according to learning outcomes rather than novelty. A useful resource makes a process clearer, allows students to practise or provides feedback that would otherwise be difficult to obtain. Teachers should also provide alternatives when students have limited internet access and should verify the scientific accuracy of online materials. Concept maps, diagrams, molecular models and annotated graphs are valuable visual supports. For example, a diagram of a buffer system can show the relationship between a weak acid and its conjugate base, while a flowchart can guide students through the calculation of solution concentration.

Assessment and Feedback

Assessment should be continuous and aligned with the intended learning outcomes. Diagnostic assessment identifies prior knowledge and misconceptions before teaching begins. Formative assessment during a lesson may include oral questions, short quizzes, peer explanation, one-minute written summaries and interpretation of experimental data. Summative assessment can include written examinations, practical examinations, laboratory reports and integrated problem-solving tasks. A balanced assessment system measures several types of competence: factual knowledge, conceptual understanding, quantitative skills, practical performance and application to medical contexts. Multiple-choice questions can test knowledge efficiently, but they should be supplemented with tasks requiring students to show calculations, explain mechanisms or interpret results. Feedback is most effective when it is timely, specific and actionable. Instead of saying only that an answer is incorrect, the teacher can identify the step where reasoning went wrong and offer a question that helps the student correct it. Clear rubrics for laboratory reports and presentations improve transparency and help students understand expectations.

Table 1. Examples of integrating medical chemistry topics with medical applications

Medical chemistry topic	Suggested learning activity	Medical connection
pH and buffer systems	Measure pH and compare buffer capacity	Acid–base balance
Electrolytes	Interpret a provided electrolyte table	Nerve impulses, muscle function and fluid balance
Osmotic pressure	Use diagrams or simple calculations	Water movement across cell membranes
Complex compounds	Build coordination models or analyse examples	Haemoglobin and metal-containing biological systems
Oxidation–reduction	Trace electron transfer in a reaction	Cellular energy and oxidative processes

Medical chemistry topic	Suggested learning activity	Medical connection
Solution concentration	Prepare a solution by dilution	Accurate preparation of laboratory and medical solutions

Suggested Structure for a Medical Chemistry Lesson

A practical lesson can be organised into five stages. (1) Motivation and diagnostic questions: connect the topic to a medical problem and identify prior knowledge. (2) Brief explanation: introduce the essential principles, equations and terminology. (3) Guided activity: solve a problem, analyse a case or perform an experiment with teacher support. (4) Independent application: students complete a related task and explain their reasoning. (5) Reflection and feedback: summarise the key idea, correct common errors and identify questions for further study. For a practical class on pH and buffers, the teacher might allocate approximately 5 minutes to the introductory question, 10 minutes to explanation, 20 minutes to the experiment, 10 minutes to data interpretation and 5 minutes to reflection. The exact timing should be adapted to class size, equipment availability and the complexity of the activity.

Challenges and Recommendations

Common challenges include students' uneven prior knowledge, limited laboratory time, large class sizes, insufficient equipment and the tendency to memorise formulas without understanding them. These challenges can be addressed through short preparatory materials, structured worksheets, rotating laboratory stations, peer learning and the use of low-risk demonstrations or simulations when equipment is limited. Teachers should identify the most important concepts for each lesson and avoid overloading students with unnecessary detail. Frequent low-stakes assessment can reveal misconceptions early. Collaboration between medical chemistry teachers and colleagues in physiology, biochemistry and clinical disciplines can improve curriculum coherence and reduce unnecessary repetition. Professional development is also important. Teachers can review student feedback, compare assessment results across groups, observe colleagues' lessons and evaluate whether learning activities lead to measurable improvement. Methodological innovation should be assessed by evidence of student learning, not solely by the use of new technology.

Conclusion Effective teaching of medical chemistry requires the integration of scientific accuracy, active learning, laboratory practice, clinical relevance and continuous assessment. Interactive lectures, problem-based and case-based learning, collaborative tasks, visual resources and well-designed experiments help students connect abstract chemical principles with biological and medical processes. Clear learning outcomes and constructive feedback support both conceptual understanding and practical competence. The most successful learning environment is one in which students are encouraged to ask questions, test ideas, interpret evidence and explain their conclusions. By linking chemistry with physiology, biochemistry, pharmacology and clinical laboratory practice, teachers can strengthen students' motivation and prepare them for further medical education. A systematic, student-centred methodology can

therefore contribute to the development of scientifically informed and reflective future healthcare professionals.

References

1. Johnstone, A. H. (1991). Why is science difficult to learn? Things are seldom what they seem. Journal of Computer Assisted Learning, 7(2), 75–83.
2. Prince, M. (2004). Does active learning work? A review of the research. Journal of Engineering Education, 93(3), 223–231.
3. Freeman, S., et al. (2014). Active learning increases student performance in science, engineering, and mathematics. Proceedings of the National Academy of Sciences, 111(23), 8410–8415.
4. Biggs, J., & Tang, C. (2011). Teaching for Quality Learning at University (4th ed.). Open University Press.
5. Ambrose, S. A., et al. (2010). How Learning Works: Seven Research-Based Principles for Smart Teaching. Jossey-Bass.
6. Wood, D. F. (2003). ABC of learning and teaching in medicine: Problem based learning. BMJ, 326, 328–330.
7. Harden, R. M., & Laidlaw, J. M. (2017). Essential Skills for a Medical Teacher: An Introduction to Teaching and Learning in Medicine (2nd ed.). Elsevier.
8. Michael, J. (2006). Where's the evidence that active learning works? Advances in Physiology Education, 30(4), 159–167.